ELSEVIER

Protein Structure and Molecular Enzymology

Vol. 1429, 1999

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

Author Index

Adiga, P.R., see Subramanian, S. (1429) 74
Aledo, J.C., see Campos, J.A. (1429) 275
Andersen, S.O., see Jensen, C. (1429) 151
Arase, T., see Nozaki, T. (1429) 284
Arkin, I.T. and Brunger*, A.T.
Statistical analysis of predicted transmembrane α-helices (1429) 113
Asai, T., see Nozaki, T. (1429) 284
Atlan, D., see Morel, F. (1429) 501

Bányai, L. and Patthy, L.
Amoebapore homologs of *Caenorhabditis elegans* (1429) 259
Barrett, M.P., see Rippa, M. (1429) 83
Barrett, A.J., see Rawlings, N.D. (1429) 496
Bartlett, K., see Eaton, S. (1429) 230
Benci, S., Vaccari, S., Mozzarelli, A. and Cook, P.F.
Time-resolved fluorescence of *O*-acetylserine sulfhydrylase (1429) 317
Boucher, I., see Honda, Y. (1429) 365
Bravo, A., see Güereca, L. (1429) 342
Brennan, S.O., see Metcalf, V.J. (1429) 467
Brereton, P.S., Maher, M.J., Tregloan, P.A. and Wedd, A.G.
Investigation of the role of surface residues in the ferredoxin from *Clostridium pasteurianum* (1429) 307
Briki, F., Busson, B. and Doucet, J.
Organization of microfibrils in keratin fibers studied by X-ray scattering (1429) 57
Brindley, P.J., see Hooker, C.W. (1429) 331
Bringmann, P., see Letz, M. (1429) 391
Brunger, A.T., see Arkin, I.T. (1429) 113
Brzezinski, R., see Honda, Y. (1429) 365
Busson, B., see Briki, F. (1429) 57

Calin, M., see Dupradeau, F.-Y. (1429) 446
Campos, J.A., Aledo, J.C., del Castillo-Olivares, A., del Valle, A.E., Núñez de Castro, I. and Márquez, J.
Involvement of essential cysteine and histidine residues in the activity of isolated glutaminase from tumour cells (1429) 275
Cardemil, E., see Carrasco, L. (1429) 93
Carrasco, L., González, F.D. and Cardemil, E.
Interaction of adenosine nucleotide analogs with *Saccharomyces cerevisiae* phosphoenolpyruvate carboxykinase (1429) 93
Chambers, G., see Metcalf, V.J. (1429) 467
Chandra, S., see Chattopadhyay, S. (1429) 293
Chattopadhyay, S., Pal, S., Pal, D., Sarkar, D., Chandra, S. and Das Gupta, C.
Protein folding in *Escherichia coli*: role of 23S ribosomal RNA (1429) 293
Chen, H. and Feng, Y.-M.
Hydrophilic Thr can replace the hydrophobic and absolutely conservative A3Val in insulin (1429) 69
Cook, P.F., see Benci, S. (1429) 317
Cummins, P.M. and O'Connor, B.
Pyroglutamyl peptidase: an overview of the three known enzymatic forms (1429) 1

Dai, S., see Starkey, J.R. (1429) 187
Dallocchio, F., see Rippa, M. (1429) 83
Dameron, C.T., see Pickering, I.J. (1429) 351
Dance, I.G., see Pickering, I.J. (1429) 351
Das Gupta, C., see Chattopadhyay, S. (1429) 293
Dattagupta, S., see Kumar, M. (1429) 506
Davis, R., Marquart, M.E., Lucius, D. and Picking, W.D.
Protein-protein interactions in the assembly of *Shigella flexneri* invasion plasmid antigens IpaB and IpaC into protein complexes (1429) 45
del Castillo-Olivares, A., see Campos, J.A. (1429) 275
del Valle, A.E., see Campos, J.A. (1429) 275
Dobbs, L.G., see Gonzalez, R.F. (1429) 208
Doucet, J., see Briki, F. (1429) 57
Dratz, E.A., see Starkey, J.R. (1429) 187
Duggleby, R.G., see Goudar, C.T. (1429) 377
Dunlap, R.B., see Shaw, D. (1429) 401
Dupradeau, F.-Y., Le Flem, G., Wieruszeski, J.-M., Calin, M., Larreta-Garde, V. and Monti, J.-P.
Glycerol's influence on the oxidized insulin B-chain conformation in relation to the selectivity variation of subtilisin: an nuclear magnetic resonance and simulated annealing study (1429) 446

Eaton, S., Middleton, B. and Bartlett, K.
Control of mitochondrial β-oxidation: sensitivity of the trifunctional protein to [NAD^+]/[NADH] and [acetyl-CoA]/[CoA] (1429) 230
Eckert, B.S., see Sanhai, W.R. (1429) 459
Egner, U., see Letz, M. (1429) 391
Ellis, M.J., see Koeck, P.J.B. (1429) 40

Fairlie, D.P., see Pickering, I.J. (1429) 351
Farruggia, B. and Picó, G.A.
The binding of 3,6-disubstituted bile salts to human serum albumin induces conformational change on the molecule of this protein (1429) 299
Feng, Y.-M., see Chen, H. (1429) 69
Frojmovic, M.M., see Liu, Q. (1429) 217
Froment, M.-T., see Levitsky, V. (1429) 422
Frot-Coutaz, J., see Morel, F. (1429) 501
Frutiger, S., see Jones, R.M.L. (1429) 265
Fujii, M., see Kabashima, T. (1429) 516
Fukamizo, T., see Honda, Y. (1429) 365

George, P.M., see Metcalf, V.J. (1429) 467
George, G.N., see Pickering, I.J. (1429) 351
Geourjon, C., see Morel, F. (1429) 501

Gilbert, C., see Morel, F. (1429) 501
Giovannini, P.P., see Rippa, M. (1429) 83
Gomi, K. and Horiuchi, T.
Purification and characterization of a new enzyme, *N*-alkylglycine oxidase from *Cladosporium* sp. G-10 (1429) 439
González, F.D., see Carrasco, L. (1429) 93
Gonzalez, R.F. and Dobbs, L.G.
Purification and analysis of RTI40, a type I alveolar epithelial cell apical membrane protein (1429) 208
Gonzalez-Stawinski, G.V., Parker, W., Holzknecht, Z.E., Huber, N.S. and Platt, J.L.
Partial sequence of human platelet heparitinase and evidence of its ability to polymerize (1429) 431
Goto, S., see Honda, Y. (1429) 365
Goudar, C.T., Sonnad, J.R. and Duggleby, R.G.
Parameter estimation using a direct solution of the integrated Michaelis-Menten equation (1429) 377
Guang, S., Wu, J., Yu, T., Xia, Y. and Shi, Y.
Solution structure of a fragment of the dimerization domain of DP-1 determined by ^{1}H-nuclear magnetic resonance and distance geometry (1429) 18
Güereca, L. and Bravo, A.
The oligomeric state of *Bacillus thuringiensis* Cry toxins in solution (1429) 342

Hahn, J.-S., see Kim, Y.-R. (1429) 486
Hamasaki, Y., see Kabashima, T. (1429) 516
Hanau, S., see Rippa, M. (1429) 83
Harada, N., Maemura, K., Yamasaki, N. and Kimura, M.
Identification by site-directed mutagenesis of amino acid residues in ribosomal protein L2 that are essential for binding to 23S ribosomal RNA (1429) 176
Hebert, H., see Koeck, P.J.B. (1429) 40
Hirohashi, T., Nishio, K. and Nakai, M.
cDNA sequence and overexpression of chloroplast chaperonin 21 from *Arabidopsis thaliana* (1429) 512
Holzknecht, Z.E., see Gonzalez-Stawinski, G.V. (1429) 431
Honda, Y., Fukamizo, T., Okajima, T., Goto, S., Boucher, I. and Brzezinski, R.
Thermal unfolding of chitosanase from *Streptomyces* sp. N174: role of tryptophan residues in the protein structure stabilization (1429) 365
Hong, H., see Kim, Y.-R. (1429) 486
Hooker, C.W. and Brindley, P.J.
Cloning of a cDNA encoding SjIrV1, a *Schistosoma japonicum* calcium-binding protein similar to calnexin, and expression of the recombinant protein in *Escherichia coli* (1429) 331
Horiuchi, T., see Gomi, K. (1429) 439
Hosur, M.V., see Kumar, M. (1429) 506
Huang, Q., see Zhu, G. (1429) 142
Huber, N.S., see Gonzalez-Stawinski, G.V. (1429) 431
Hughes, G.J., see Jones, R.M.L. (1429) 265
Huh, W.-K., see Kim, S.-T. (1429) 29
Hutchens, T.W., see Kuwata, H. (1429) 129

Ibarra-Molero, B., Makhatadze, G.I. and Sanchez-Ruiz, J.M.
Cold denaturation of ubiquitin (1429) 384
Ito, K., see Kabashima, T. (1429) 516

Jaton, J.-C., see Jones, R.M.L. (1429) 265
Jensen, C., Andersen, S.O. and Roepstorff, P.
Primary structure of two major cuticular proteins from the migratory locust, *Locusta migratoria*, and their identification in polyacrylamide gels by mass spectrometry (1429) 151
Jeong, W., see Kim, Y.-R. (1429) 486
Jia, Y., see Zhu, G. (1429) 142
Jones, R.M.L., Schweikart, F., Frutiger, S., Jaton, J.-C. and Hughes, G.J.
Thiol–disulfide redox buffers maintain a structure of immunoglobulin A that is essential for optimal in vitro binding to secretory component (1429) 265

Kabashima, T., Fujii, M., Hamasaki, Y., Ito, K. and Yoshimoto, T.
Cloning of a novel prolidase gene from *Aureobacterium esteraromaticum* (1429) 516
Kagawa, H.K., see Koeck, P.J.B. (1429) 40
Kang, S.-O., see Kim, S.-T. (1429) 29
Kannan, K.K., see Kumar, M. (1429) 506
Kantrowitz, E.R., see Williams, M.K. (1429) 249
Kim, S.-T., Huh, W.-K., Lee, B.-H. and Kang, S.-O.
D-Arabinose dehydrogenase and its gene from *Saccharomyces cerevisiae* (1429) 29
Kim, Y.-R., Hahn, J.-S., Hong, H., Jeong, W., Song, N.W., Shin, H.-C. and Kim, D.
Dynamic equilibrium unfolding pathway of human tumor necrosis factor-α induced by guanidine hydrochloride (1429) 486
Kim, D., see Kim, Y.-R. (1429) 486
Kimura, M., see Harada, N. (1429) 176
Koeck, P.J.B., Kagawa, H.K., Ellis, M.J., Hebert, H. and Trent, J.D.
Two-dimensional crystals of reconstituted β-subunits of the chaperonin TF55 from *Sulfolobus shibatae* (1429) 40
Kumar, M., Dattagupta, S., Kannan, K.K. and Hosur, M.V.
Purification, crystallisation and preliminary X-ray diffraction study of ribosome inactivating protein: saporin (1429) 506
Kuwata, H., Yip, T.-T., Tomita, M. and Hutchens, T.W.
Direct evidence of the generation in human stomach of an antimicrobial peptide domain (lactoferricin) from ingested lactoferrin (1429) 129

Lanzilotta, W.N., Parker, V.D. and Seefeldt, L.C.
Thermodynamics of nucleotide interactions with the *Azotobacter vinelandii* nitrogenase iron protein (1429) 411
Larreta-Garde, V., see Dupradeau, F.-Y. (1429) 446
Le Flem, G., see Dupradeau, F.-Y. (1429) 446
Lee, B.-H., see Kim, S.-T. (1429) 29
Letz, M., Bringmann, P., Mann, M., Mueller-Fahrnow, A., Reipert, D., Scholz, P., Wurtz, J.-M. and Egner, U.
Investigation of the binding interactions of progesterone using muteins of the human progesterone receptor ligand binding domain designed on the basis of a three-dimensional protein model (1429) 391
Leustek, T., see Nozaki, T. (1429) 284
Levitsky, V., Xie, W., Froment, M.-T., Lockridge, O. and Masson, P.
Polyol-induced activation by excess substrate of the D70G butyrylcholinesterase mutant (1429) 422
Lin, T.-H., Lin, J.-J. and Lu, Y.-J.
A comparative molecular field analysis study on several bioactive peptides using the alignment rules derived from identification of commonly exposed groups (1429) 476
Lin, J.-J., see Lin, T.-H. (1429) 476
Liu, Q. and Frojmovic, M.M.
The fibrinogen RIBS-I epitope (γ373–385) appears proximate to the γ408–411 adhesive domain but is not involved in interaction between

receptor-bound or surface-adsorbed fibrinogen and platelet GPIIbIIIa (1429) 217
Lockridge, O., see Levitsky, V. (1429) 422
Lu, Y.-J., see Lin, T.-H. (1429) 476
Lucius, D., see Davis, R. (1429) 45

Maemura, K., see Harada, N. (1429) 176
Maher, M.J., see Brereton, P.S. (1429) 307
Makhatadze, G.I., see Ibarra-Molero, B. (1429) 384
Mann, M., see Letz, M. (1429) 391
Marquart, M.E., see Davis, R. (1429) 45
Márquez, J., see Campos, J.A. (1429) 275
Masson, P., see Levitsky, V. (1429) 422
Metcalf, V.J., Brennan, S.O., Chambers, G. and George, P.M.
High density lipoprotein (HDL), and not albumin, is the major palmitate binding protein in New Zealand long-finned (*Anguilla dieffenbachii*) and short-finned eel (*Anguilla australis schmidtii*) plasma (1429) 467
Middleton, B., see Eaton, S. (1429) 230
Monti, J.-P., see Dupradeau, F.-Y. (1429) 446
Morel, F., Gilbert, C., Geourjon, C., Frot-Coutaz, J., Portalier, R. and Atlan, D.
The prolyl aminopeptidase from *Lactobacillus delbrueckii* subsp. *bulgaricus* belongs to the α/β hydrolase fold family (1429) 501
Mozzarelli, A., see Benci, S. (1429) 317
Mueller-Fahrnow, A., see Letz, M. (1429) 391

Nakai, M., see Hirohashi, T. (1429) 512
Nishio, K., see Hirohashi, T. (1429) 512
Nozaki, T., Arase, T., Shigeta, Y., Asai, T., Leustek, T. and Takeuchi, T.
Cloning and bacterial expression of adenosine-5′-triphosphate sulfurylase from the enteric protozoan parasite *Entamoeba histolytica* (1429) 284
Núñez de Castro, I., see Campos, J.A. (1429) 275

O'Connor, B., see Cummins, P.M. (1429) 1
Odom, J.D., see Shaw, D. (1429) 401
Oganesyan, V.S. and Sharonov, Y.A.
Determination of zero-field splitting and evidence for the presence of charge-transfer transitions in the Soret region of high-spin ferric hemoproteins obtained from an analysis of low-temperature magnetic circular dichroism (1429) 163
Okajima, T., see Honda, Y. (1429) 365

Pal, D., see Chattopadhyay, S. (1429) 293
Pal, S., see Chattopadhyay, S. (1429) 293
Parker, W., see Gonzalez-Stawinski, G.V. (1429) 431
Parker, V.D., see Lanzilotta, W.N. (1429) 411
Patthy, L., see Bányai, L. (1429) 259
Pickering, I.J., Prince, R.C., George, G.N., Rauser, W.E., Wickramasinghe, W.A., Watson, A.A., Dameron, C.T., Dance, I.G., Fairlie, D.P. and Salt, D.E.
X-ray absorption spectroscopy of cadmium phytochelatin and model systems (1429) 351
Picking, W.D., see Davis, R. (1429) 45
Picó, G.A., see Farruggia, B. (1429) 299
Platt, J.L., see Gonzalez-Stawinski, G.V. (1429) 431
Portalier, R., see Morel, F. (1429) 501
Prince, R.C., see Pickering, I.J. (1429) 351

Qian, M., see Zhu, G. (1429) 142

Rauser, W.E., see Pickering, I.J. (1429) 351
Rawlings, N.D. and Barrett, A.J.
Tripeptidyl-peptidase I is apparently the CLN2 protein absent in classical late-infantile neuronal ceroid lipofuscinosis (1429) 496
Reintamm, T., see Siigur, E. (1429) 239
Reipert, D., see Letz, M. (1429) 391
Rippa, M., Giovannini, P.P., Barrett, M.P., Dallocchio, F. and Hanau, S.
6-Phosphogluconate dehydrogenase: the mechanism of action investigated by a comparison of the enzyme from different species (1429) 83
Roepstorff, P., see Jensen, C. (1429) 151

Salt, D.E., see Pickering, I.J. (1429) 351
Samel, M., see Siigur, E. (1429) 239
Sanchez-Ruiz, J.M., see Ibarra-Molero, B. (1429) 384
Sanhai, W.R., Eckert, B.S. and Yeagle, P.L.
Altering the state of phosphorylation of rat liver keratin intermediate filaments by ethanol treatment in vivo changes their structure (1429) 459
Sarkar, D., see Chattopadhyay, S. (1429) 293
Sasakura, C., see Suzuki, K.T. (1429) 102
Scholz, P., see Letz, M. (1429) 391
Schweikart, F., see Jones, R.M.L. (1429) 265
Seefeldt, L.C., see Lanzilotta, W.N. (1429) 411
Sharonov, Y.A., see Oganesyan, V.S. (1429) 163
Shaw, D., Odom, J.D. and Dunlap, R.B.
High expression and steady-state kinetic characterization of methionine site-directed mutants of *Escherichia coli* methionyl- and selenomethionyl-dihydrofolate reductase (1429) 401
Shi, Y., see Guang, S. (1429) 18
Shigeta, Y., see Nozaki, T. (1429) 284
Shin, H.-C., see Kim, Y.-R. (1429) 486
Siigur, E., Samel, M., Tõnismägi, K., Subbi, J., Reintamm, T. and Siigur, J.
Isolation, properties and N-terminal amino acid sequence of a factor V activator from *Vipera lebetina* (Levantine viper) snake venom (1429) 239
Siigur, J., see Siigur, E. (1429) 239
Song, N.W., see Kim, Y.-R. (1429) 486
Sonnad, J.R., see Goudar, C.T. (1429) 377
Starkey, J.R., Dai, S. and Dratz, E.A.
Sidechain and backbone requirements for anti-invasive activity of laminin peptide 11 (1429) 187
Subbi, J., see Siigur, E. (1429) 239
Subramanian, S. and Adiga, P.R.
Identification and mapping of linear antigenic determinants of chicken riboflavin carrier protein (1429) 74
Suzuki, K.T., Sasakura, C. and Yoneda, S.
Binding sites for the (Hg-Se) complex on selenoprotein P (1429) 102

Takeuchi, T., see Nozaki, T. (1429) 284
Tang, Y., see Zhu, G. (1429) 142
Tomita, M., see Kuwata, H. (1429) 129
Tõnismägi, K., see Siigur, E. (1429) 239
Tregloan, P.A., see Brereton, P.S. (1429) 307
Trent, J.D., see Koeck, P.J.B. (1429) 40

Vaccari, S., see Benci, S. (1429) 317

Wang, Z., see Zhu, G. (1429) 142
Watson, A.A., see Pickering, I.J. (1429) 351
Wedd, A.G., see Brereton, P.S. (1429) 307

Wickramasinghe, W.A., see Pickering, I.J. (1429) 351
Wieruszeski, J.-M., see Dupradeau, F.-Y. (1429) 446
Williams, M.K. and Kantrowitz, E.R.
Threonine 82 in the regulatory chain is important for nucleotide affinity and for the allosteric stabilization of *Escherichia coli* aspartate transcarbamoylase (1429) 249
Wu, J., see Guang, S. (1429) 18
Wurtz, J.-M., see Letz, M. (1429) 391

Xia, Y., see Guang, S. (1429) 18
Xie, W., see Levitsky, V. (1429) 422

Yamasaki, N., see Harada, N. (1429) 176
Yeagle, P.L., see Sanhai, W.R. (1429) 459
Yip, T.-T., see Kuwata, H. (1429) 129
Yoneda, S., see Suzuki, K.T. (1429) 102
Yoshimoto, T., see Kabashima, T. (1429) 516
Yu, T., see Guang, S. (1429) 18

Zhu, G., Huang, Q., Wang, Z., Qian, M., Jia, Y. and Tang, Y.
X-ray studies on two forms of bovine β-trypsin crystals in neat cyclohexane (1429) 142

UMI

SHOULD READ 1998/1999